



creative

lighting solutions

Catalog & Price List January, 2017



Lighting is about creating an environment that uses light as the main medium of expression. We design our products to fit seamlessly within the architecture, offering an aesthetic solution during the day. With unlimited options and unbelievable features, our extensive product range meets your every need of indoor lighting take your pick from our innovative collection of LED Bulbs, LED Down Lights, Niche Spot Lights, LED Pendant Lights and LED Wall Lamps.


With years of dedication and perseverance, we have formed our core competitive edges, which lie in our consistently high quality, aggressive innovation, on time delivery and responsive customer services. All our lamps and luminaires are cater to lighting needs in multiple applications such as in residential, commercial, retail, hospitality and healthcare industries. Choose luminaires that will best suit your taste and value for money – such as Bollard Lamps, Bulk Head Lamps, LED Pole Lamp, Garden Lights, Up-Down Lights, Street Lights & Flood Lights that plays a major role in beautification of garden, landscape, streets and buildings.

Company's futuristic vision is to Go Green and hence company is committed to offer energy efficient Indoor and Outdoor luminaries. Moreover our LED Luminaries have higher lamp efficiency, low operating cost and long life which ensures sustainable lighting solution.

Appropriate Lighting and Aesthetics has become an essential component which impacts people's motivation, joy, performance, pride and delight. With a commitment to offer innovative products regularly, we strive to make an impact on more individuals every day.

c r e a t i v e























lighting solutions





creative
lighting
solutions

Contents

LED Bulbs : 5-6 ▶	
LED Batten : 7- 8 ▶	
ECO LED Down Lights : 9-10 ▶	
LED Panel Lights : 11-12 ▶	
Commercial LED Panels : 13-14 ▶	
COB LED Down Lights : 15-16 ▶	
LED Down Lights : 17-18 ▶	
Surface Mount LED Lights : 19-20 ▶	
Retail Lighting Solutions : 21-22 ▶	
LED Spot Lights : 23-24 ▶	
LED Pendent Lights : 25-26 ▶	
LED Wall Lights : 27-28 ▶	
Ceiling Mount Sensor : 29-30 ▶	
Bulk Head Outdoor Lamps : 31-32 ▶	
Foot Lamps : 33-34 ▶	
Outdoor Wall Lamps : 35-36 ▶	
LED Up Down Lamps : 37-40 ▶	
Bollard Lamps : 41-44 ▶	
LED Pole Lamps : 45-46 ▶	
Swimming Pool Light & Garden Spike Lamps : 47-48 ▶	
LED Flood Lights : 49-50 ▶	
Street Lights : 51-52 ▶	



LED Bulb

Transforming conventional light sources to LED can improve ambiance & energy efficiency. LED Bulbs are designed such that it provided a wide beam angle creating an omni-directional lighting effect for your interior spaces. As a brand that offers lighting solutions for over 30 years understands that light quality is every bit as important as energy savings.

- Glass cover ensures that light remains same over life period of bulb unlike PC cover Bulbs.

- Ceramic diffuser offers heat dissipation capacity which increases overall product life

- Most widely used for applications such as aesthetic wall light fittings, landscape lighting and general purpose lighting.

LED Bulbs



LED Bulbs

Code	Description	Light Output (lm)	Beam Angle	MRP ₹	Pkg.
69E204	4W Energy Saving LED Lamp E27 Holder	CW-360 lm, WW-307 lm	160°	240.00	50
69E206	6W Energy Saving LED Lamp E27 Holder	CW-616 lm, WW-519 lm	220°	310.00	50
69E208	8W Energy Saving LED Lamp E27 Holder	CW-783 lm, WW-670 lm	180°	470.00	50
69E210	10W Energy Saving LED Lamp E27 Holder	CW-970 lm, WW-840 lm	280°	530.00	50
690204	4W Energy Saving LED Lamp	CW-360 lm, WW-307 lm	160°	240.00	50
690206	6W Energy Saving LED Lamp	CW-616 lm, WW-519 lm	220°	310.00	50
690208	8W Energy Saving LED Lamp	CW-783 lm, WW-670 lm	180°	470.00	50
690210	10W Energy Saving LED Lamp	CW-970 lm, WW-840 lm	280°	530.00	50

LED Make : Sanan | Colour Temp.: CW-6000K, WW-3000K | CRI : >80 | PF : >0.90



LED Batten

Decorative, environment friendly & energy efficient ultra slim linear LED lighting fixture provides excellent illumination. Elegantly designed white coloured ABS end caps with Blue finish clip-on cover, enhance the aesthetic view of the fixture. These simple and easy to install fixtures are undoubted champion for your regular lighting purpose.


LED Batten



◀ LED Batten

Code	Description	Light Output (lm)	Beam Angle	MRP ₹	Pkg.
670093	5W Elite LED Batten - 1 Feet	CW-420 lm	180°	425.00	40
670092	9W Elite LED Batten - 2 Feet	CW-840 lm	180°	525.00	40
670091	18W Elite LED Batten - 4 Feet	CW-1780 lm	180°	800.00	40

LED Make : Sanan | **Colour Temp.:** CW-6000K | **CRI :** >70 | **PF :** >0.90



ECO LED Down Lights

New generation environment friendly & ultra-modern down light with high brightness LEDs , are ideally suited for low ceiling areas to give glare free light. Their classy white finish and neon color clip adds a sense of style and elegance to your interior. Long life of LED's & high end in-built electronic driver ensures zero maintenance.

ECO LED Down Lights



690019



691R09, 691R12, 691R15, 691R22



691S09, 691S12, 691S15, 691S22

ECO LED Down Lights

Code	Description	Light Output (lm)	Beam Angle	Cutout (mm)	MRP ₹	Pkg.
690019	7W LED Down Light	CW-735 lm, WW, BU, RD, GE - 700 lm	100°	85 x 85	450.00	50
▶ 691R09	9W LED Down Light (Round)	CW-730 lm, DL-715 lm, WW-690 lm	110°	∅ 105	475.00	40
▶ 691S09	9W LED Down Light (Square)	CW-730 lm, DL-715 lm, WW-690 lm	110°	105 x 105	475.00	40
▶ 691R12	12W LED Down Light (Round)	CW-1200 lm, DL-1170 lm, WW-1140 lm	110°	∅ 155	675.00	40
▶ 691S12	12W LED Down Light (Square)	CW-1200 lm, DL-1170 lm, WW-1140 lm	110°	155 x 155	675.00	40
▶ 691R15	15W LED Down Light (Round)	CW-1500 lm, DL-1470 lm, WW-1420 lm	110°	∅ 155	750.00	40
▶ 691S15	15W LED Down Light (Square)	CW-1500 lm, DL-1470 lm, WW-1420 lm	110°	155 x 155	750.00	40
▶ 691R22	22W LED Down Light (Round)	CW-2200 lm, DL-2150 lm, WW-2090 lm	110°	∅ 210	1000.00	40
▶ 691S22	22W LED Down Light (Square)	CW-2200 lm, DL-2150 lm, WW-2090 lm	110°	210 x 210	1000.00	40

LED Make : Epistar | Colour Temp.: CW-6000K, DL-4000K, WW-3000K, BU-Blue, RD-Red, GE-Green | CRI : >70 | PF : >0.9

▶ **New Arrival**



LED Panel Lights

LED panel lights are manufactured using high quality Die cast Aluminum material & LGP diffuser which avoids glare to human eye and ensures uniform light is passed through the panel. With slim, compact, elegant design & excellent performance our product has given our valued customers a big confidence to prefer this series for various lighting applications. LED Panels are designed to light up indoor spaces such as hallways, corridors, conference rooms, malls, showrooms and residential application.

LED Panel Lights



◀ LED Panel Lights

Code	Description	Light Output (lm)	Beam Angle	Cutout (mm)	MRP ₹	Pkg.
690022	4W LED Panel Light (Round)	CW-250 lm, DL-235 lm, WW-220 lm	120°	Ø 70	450.00	30
690023	9W LED Panel Light (Round)	CW-680 lm, DL-650 lm, WW-620 lm	120°	Ø 110	750.00	30
690024	12W LED Panel Light (Round)	CW-880 lm, DL-850 lm, WW-820 lm	120°	Ø 135	900.00	30
690025	16W LED Panel Light (Round)	CW-1300 lm, DL-1250 lm, WW-1200 lm	120°	Ø 160	1100.00	20
690026	4W LED Panel Light (Square)	CW-250 lm, DL-235 lm, WW-220 lm	120°	75 x 75	450.00	30
690027	9W LED Panel Light (Square)	CW-680 lm, DL-650 lm, WW-620 lm	120°	105 x 105	750.00	30
690028	12W LED Panel Light (Square)	CW-880 lm, DL-850 lm, WW-820 lm	120°	135 x 135	900.00	30
690029	16W LED Panel Light (Square)	CW-1300 lm, DL-1250 lm, WW-1200 lm	120°	155 x 155	1100.00	20
690030	22W LED Panel Light (Square)	CW-2100 lm, DL-2045 lm, WW-1990 lm	120°	205 x 205	1600.00	20

LED Make : Sanan | Colour Temp.: CW-6000K, DL-4000K, WW-3000K | CRI : >70



Commercial LED Panels

There is a lot of evidence to show that poor lighting in the workplace has a dramatic effect on productivity. As retrofit units replacing fluorescent tube fittings, these Commercial Panel Lights are designed to sit in most standard ceiling grids. LED Panel Lights provide exceptional energy savings and slash maintenance costs usually associated with replacing and recycling fluorescent tubes.

Commercial LED Panels



690036



690048

Code	Description	Light Output (lm)	Cut out	Dimension (mm)	MRP ₹	Pkg.
▶ 690036	36W LED Panel Light (Square)	CW-2880 lm	595 x 595	595 x 595 x 10	3200.00	05
▶ 690048	48W 4 Side Recessed LED Panel Light (Square)	CW-3840 lm	600 x 600	600 x 600 x 32	4300.00	05

LED Make : Epistar | Colour Temp.: CW-6000K | CRI : >80 | PF : >0.95 | Beam Angle : 120°

▶ **New Arrival**



COB LED Down Lights

A circle is the reflection of eternity- it has no beginning & it has no end. Our new range of down lights are specially designed that allows you to accurately point the light in specific angle. It can also be used in confined spaces where multiple direction options are needed. Their unmatched colour rendering capacity adds glory to monuments , architectural sites, showrooms etc.

COB LED Down Lights



LED Spot Light



Movable COB LED Down Light



LED Down Light

◀ COB LED Down Lights

Code	Description	Light Output (lm)	Beam Angle	LED Make	Cutout (mm)	MRP ₹	Pkg.
▶ 693703	3W LED Spot Light	CW-330 lm, WW-300 lm	24°	Teen	Ø 45	330.00	100
▶ 693706	6W LED Spot Light	CW-650 lm, WW-600 lm	24°	Teen	Ø 75	535.00	50
▶ 693712	12W LED Spot Light	CW-1350 lm, WW-1250 lm	24°	Teen	Ø 105	925.00	30
▶	COB LED Down Lights				Dim. (mm)		
▶ 694507	7W Movable COB LED Down Light	CW-600 lm, WW-550 lm	50°	Epistar	100 x 56	715.00	30
▶ 694512	12W Movable COB LED Down Light	CW-1000 lm, WW-900 lm	50°	Epistar	114 x 65	1025.00	30
▶ 694520	20W Movable COB LED Down Light	CW-1700 lm, WW-1600 lm	50°	Epistar	160 x 75	1550.00	30
▶	LED Down Light				Dim. (mm)		
▶ 694710	10W LED Down Light	CW-850 lm, WW-800 lm	35°	Epistar	110 x 62	1000.00	50
▶ 694720	20W LED Down Light	CW-1700 lm, WW-1600 lm	35°	Epistar	133 x 78	1500.00	30
▶ 694730	30W LED Down Light	CW-2500 lm, WW-2400 lm	35°	Epistar	165 x 90	2000.00	20

Colour Temp.: CW-6000K, WW-3000K | CRI : >80 | PF : >0.6

▶ **New Arrival**



LED Down Lights

LED Down light is designed to offer an effective and efficient alternative to traditional CFL down lights. With a robust construction, stylish finish & quality light output, Down light is suitable for a wide range of applications such as residence, commercial, boutiques, reception, lounge, exhibitions, etc. Our 3in1 down lights offer three color changing options i.e. Cool White, Day Light & Warm White. On every switching cycle, color of light changes to give user freedom of setting different lighting scenes as desired.

LED Down Lights



Down Light (3 in 1)



LED Down Light

LED Down Lights

Code	Description	Light Output (lm)	Beam Angle	Cutout (mm)	MRP ₹	Pkg.
690014	6W LED Down Light (3 in 1)	CW-55 lm, DL-50 lm, WW-45 lm	110°	Ø 90	700.00	30
690015	10W LED Down Light (3 in 1)	CW-90 lm, DL-85 lm, WW-80 lm	110°	Ø 116	1000.00	30
690031	12W LED Down Light (Square)	CW-1000 lm, DL-960 lm, WW-920 lm	120°	102 x 102	1050.00	20
690032	18W LED Down Light (Square)	CW-1700 lm, DL-1650 lm, WW-1600 lm	120°	152 x 152	1600.00	20

LED Make : Sanan | Colour Temp.: CW-6000K, DL-4000K, WW-3000K | CRI : >70



Surface Mount LED Lights

A design solution for every application. Their user friendly mounting arrangements along with well finished design creates an elegant look for ceiling. The stylish soft edge design gives it a unique identity & Uniform illumination over entire product lens. These luminaries feature a robust, lightweight design coupled with universal mounting. They are exceptionally easy to handle & install making them a wise choice.

Surface Mount LED Lights



650024, 650026, 650027



650025, 650028



690033

Code	Description	Light Output (lm)	Beam Angle	Dim. (mm)	MRP ₹	Pkg.
650024	6W LED Surface Ceiling Light (Round)	CW-490 lm, DL-480 lm WW-470 lm	120°	Ø 176	700.00	20
650026	12W LED Surface Ceiling Light (Round)	CW-960 lm, DL-940 lm WW-920 lm	120°	Ø 214	1100.00	16
650027	18W LED Surface Ceiling Light (Round)	CW-1640 lm, DL-1610 lm WW-1580 lm	120°	Ø 290	1800.00	12
650025	12W LED Surface Ceiling Light (Square)	CW-960 lm, DL-940 lm WW-920 lm	120°	214 x 214	1100.00	16
650028	18W LED Surface Ceiling Light (Square)	CW-1640 lm, DL-1610 lm WW-1580 lm	120°	275 x 275	1800.00	12
690033	12W LED Surface Panel Light (Square)	CW-960 lm, DL-940 lm, WW-920 lm	120°	172 x 172	1350.00	20

LED Make : Sanan | Colour Temp.: CW-6000K, DL-4000K, WW-3000K | CRI : >70 | PF : >0.9

Surface Mount LED Lights



Retail Lighting Solutions

Versatile, designed to impress and easy-to-install, track light & Zoom Light has every characteristic that enhance the look of the merchandise, lead to increased sales and save energy. Mainly used for shopping mall, retail outlets, exhibition hall, hotels etc.

Retail Lighting Solutions



691026



691027



692522, 692530

Code	Description	Light Output (lm)	Beam Angle	LED Make	PF	Dim. (mm)	CRI	MRP ₹	Pkg.
▶ 691026	20W LED Track Light	CW-1550 lm, WW-1470 lm	40°	Epistar COB	>0.9	Ø 170 x H200	>75	1900.00	20
▶ 691027	30W LED Track Light	CW-2230 lm, WW-2120 lm	40°	Epistar COB	>0.9	Ø 185 x H210	>75	2400.00	20
▶ 692522	22W LED Zoom Light (Round)	CW-2200 lm, WW-2000 lm	24°	Edision	>0.6	145 x 119	>80	2950.00	12
▶ 692530	30W LED Zoom Light (Round)	CW-3000 lm, WW-2800 lm	24°	Edision	>0.6	170 x 148	>80	3750.00	12

Colour Temp.: CW-6000K, WW-3000K

▶ **New Arrival**



LED Spot Lights

The stillness at home, the elegance of a restaurant or the moderate lighting of an exhibition, LED Spot Lamp offer substantial opportunities to create ambience as desired. Spotlights are the best solution when directional light is needed. They provide precise accent lighting in a wide range of applications, particularly in art galleries, shops, boutiques and lounges.

LED Spot Lights

692111



692203



692205



691401



691501

Code	Description	Beam Angle	LED Make	Light Output (lm)	Cutout (mm)	PF	CRI	MRP ₹	Pkg.
692111	3W LED Aluminum Spot Light	24°	UTILUX	CW-260 lm, DL-250 lm	Ø 75	>0.45	>75	440.00	36
692203	3W LED Spot Lamp (In-built Driver)	24°	EPISTAR	CW-260 lm, DL-250 lm	-	>0.44	>70	300.00	100
692205	5W LED Spot Lamp (In-built Driver)	24°	EPISTAR	CW-450 lm, DL-435 lm	-	>0.44	>70	350.00	100
▶ 691401	1W LED Niche Light (Round)	38°	Epistar COB	CW-70 lm, BLUE-60 lm, WW-60 lm	Ø 30 x 25	>0.6	>70	200.00	100
▶ 691501	1W LED Niche Light (Square)	38°	Epistar COB	CW-70 lm, BLUE-60 lm, WW-60 lm	30 x 30 x 25	>0.6	>70	200.00	100

Colour Temp. : CW - 6000K, DL-4000K, WW-3000K

▶ **New Arrival**



LED Pendant Lights

Pendant light personalizes a space with unique sense of structure and substance giving a modern touch to your decor & making a strong architectural statement. Pendant lights with adjustable hanging cord and innovative design make it appear dazzling & imposing even when the lamp is switched off. These fixtures will definitely add character & charm to the interior of any room. Pendant lights are often used to illuminate dining tables, home entrance, lounge, kitchen island, etc.

LED Pendent Lights



693601



693603



693604



693605



693606



693613



693615

Code	Description	Beam Angle	Colour Temp.	Dim. (mm)	MRP ₹	Pkg.
693601	5W LED Pendent Light	150°	WW-3000K	86 X H 660	3950.00	1
693603	28W Solid Square LED Pendent Light	150°	WW-3000K	500 x H 870	22950.00	1
693604	28W Solid Round LED Pendent Light	150°	WW-3000K	Ø 500 x H 870	22950.00	1
693605	28W Hollow Square LED Pendent Light	180°	WW-3000K	500 x H 870	19500.00	1
693606	28W Hollow Round LED Pendent Light	180°	WW-3000K	Ø 500 x H 870	19500.00	1
693613	3x5W LED Ceiling Light	180°	WW-3000K	H 190	12500.00	1
693615	5x5W LED Ceiling Light	180°	WW-3000K	H 190	19500.00	1

LED Make : Edison | CRI : > 80




LED Wall Lights

Stunning yet simple: Wall lights perfectly complement home decor while adding grace to decor & peace to home ambience making it great for viewing. Right ambience is crucial when it comes to restaurants, lounges and wellness area as people visit such places to unwind, socialize & enjoy themselves. Creative use of wall light makes the ambience refreshing during day & more cozy and inviting at night.

LED Wall Lights



688301




688302




688576



688569



688308



688335



688336

Code	Description	LED Make	Beam Angle	Colour Temp.	CRI	MRP ₹	Pkg.
688301	8W LED Wall Light	Edison	360°	DL-4000K	>80	5200.00	1
688302	6W LED Wall Light	Edison	150°	WW-3000K	>80	5500.00	1
688576	6W LED Up-Down Wall Light	Edison	120°	DL-4100K	>80	4450.00	12
688569	6W LED Up-Down Wall Light	Edison	120°	DL-4100K	>80	4450.00	12
688308	6W LED Wall Lamp (Square)	Sanan	120°	WW-3000K	>80	3990.00	08
688335	6W LED Wall Lamp (Square)	Sanan	120°	WW-3000K	>80	4100.00	06
688336	6W LED Wall Lamp (Round)	Sanan	120°	WW-3000K	>80	4100.00	06



Ceiling Infrared Sensor

PIR (Passive Infrared) Sensor can sense motion and detect whether a human has moved in or out of the sensor range. A PIR Sensor detects the heat (infrared) emitted naturally by human beings. When a person in the field of vision of the sensor moves, the sensor detects a sudden change in infrared energy and the sensor is triggered (activated).

Ceiling Infrared Sensor



Code	Description	MRP ₹	Pkg.
690001	Ceiling Infrared Sensor	920.00	50

Applications:

Automatic light control and security at various places like Entrance, Basements, Rest Rooms, Corridors, Storage Areas, etc.

Features:

Time Delay control : Min - 10 Sec. \pm 5 Sec.;
Max - 6 Min \pm 2 Min (Adjustable)

Light Level Control : <5 lux \sim 2000 Lux (Adjustable).
Sensor can be adjusted such that it is not activated when sufficient daylight is available.

Detection Distance : 6m Max (24°C)


Detection Range : 360° (Top View)

Technology : Relay based which can also control loads such as fluorescent lamps and LED Lamps.

Rated Load : 1100W (Incandescent Lamp), 500W (Halogen/Fluorescent Lamp), 250W (LED Lamp).

Time Delay is added continuously : When second movement is sensed, sensor will re-compute time by adding remaining time with time delay already set.

Power Consumption : 0.5W (Static : 0.1W)



Bulk Head Outdoor Lamps

Outdoor Lights are not only required to ensure that people can walk and drive safely but it must be pleasing and inviting too. They are easy to install and are suitable for use in outdoor environment. Bulk Head lamps are perfect for parking lots, corridors and walkways.

Bulk Head Outdoor Lamps



680436



680259



680101



680140



680132



680133

Code	Description	Beam Angle	LED Make	Dim. (mm)	Colour Temp.	Light Outout (lm)	IP	MRP ₹	Pkg.
680436	Outdoor Lamp 1xB22	-	-	249 x 254 x 110	-	-	54	1365.00	10
680259	Outdoor Lamp 1xB22	-	-	115 x 290 x 125	-	-	54	1350.00	10
▶ 680101	8W Eco LED Ceiling Light	120°	Epistar	Ø 190x75	3000K	520 lm	65	1600.00	12
▶ 680140	9W Eco LED Bulk Head Lamp	120°	Epistar	245 x 139 x 70	3000K	550 lm	65	1750.00	12
▶ 680132	8W Eco LED Bulk Head Lamp	110°	Sanan	Ø 213 x 79	3000K	450 lm	65	1150.00	20
▶ 680133	8W Eco LED Ceiling Light	110°	Sanan	Ø 213 x 82	3000K	450 lm	65	1400.00	20

CRI : >80 | PF : >0.95


▶ **New Arrival**




Foot Lamps

Aesthetically designed appealing products while maintaining high levels of engineering excellence over the years. Foot lamps are perfectly suited to embellish Garden Pathways, steps & Landscapes. Just as lighting is important inside your home, lighting outside of your home is equally important. Foot Lights allows you to walk at night safely in condition of low or no natural light. It can be used for both Outdoor and Indoor Lighting. They are easy to maintain, energy efficient and high ingress protection level.

Foot Lamps



680074



680277



680471



680472




680482



680232



680928



680001



680601

Foot Lamps

Code	Description	Beam Angle	LED Make	Cut Out/Dim. (mm)	Light Output (lm)	IP	MRP ₹	Pkg.
680074	3W Concealed LED Step Light	78.3°	1x3W Cree LED	Ø 77	93 lm	54	2400.00	24
680277	3W Concealed LED Vertical Step Light	30.9°	1x3W Cree LED	W45 x H190	102 lm	54	2270.00	18
680471	3W LED Surface Wall Lamp	31.3°	1x3W Cree LED	W67 x H95	72 lm	54	2020.00	32
680472	2W LED Surface Wall Lamp	36.4°	2x1W Cree LED	W99 x H94	67 lm	54	2400.00	32
680482	5W LED Surface Brick Lamp	100.8°	27x Everlight SMD	W230 x H79	470 lm	54	2700.00	18
680232	Brick Outdoor Lamp 1xB22	-	-	W248 x H67	-	54	745.00	20
680928	4W LED Wall Lamp	98.1°	18x Everlight SMD	W150 x H70	320 lm	54	1800.00	40
680001	1.5W ECO LED Foot Light	70.6°	Sanan	100 x 60 x 33	80 lm	65	650.00	50
680601	3W ECO LED Foot Light	61°	Sanan	160 x 70 x 33	150 lm	65	850.00	20

Colour Temp.: WW-3000K | CRI : >80

New Arrival



Outdoor Wall Lamps

Outdoor lights play a critical role in enhancing environment beauty and improving the quality of life. Outdoor wall lamps are simple way to add an extra layer of security, while at the same time making your space visually attractive.

Outdoor Wall Lamps



680711



680761



680821



680891



680721



680465



680083



680014

Code	Description	LED Make	Beam Angle	Colour Temp.	Light Output (lm)	CRI	MRP ₹	Pkg.
680711	8W LED Wall Lamp	40x Everlight SMD	162.8°	WW-3000K	419 lm	>80	3600.00	20
680761	9W LED Wall Lamp	3x3W Cree LED	161.7°	WW-3000K	270 lm	>80	4000.00	08
680821	6W LED Wall Lamp	6x1W Cree LED	121.8°	WW-3000K	365 lm	>80	3870.00	12
680891	7W LED Wall Lamp	1x7W Bridgelux LED	26.8°	WW-3000K	390 lm	>80	3015.00	12
680721	6W LED Wall Lamp	6x1W Cree LED	163.7°	WW-3000K	355 lm	>80	4720.00	12
680465	12W LED Outdoor Wall Lamp	Epistar	-	DL-4000K	825 lm	>70	3900.00	10
680083	8W COB LED Wall Lamp	Cree LED	100°	WW-3000K	650 lm	>70	3950.00	08
680014	1XE27 Column Outdoor Lamp	-	-	-	-	-	2850.00	04

IP : 54

Outdoor Wall Lamps



LED Up Down Lamps

Interior Architecture of a building is very much dependent on design of luminaries and light flow that it emits. These new high on quality, aesthetics & illuminance up-down lights are an ideal choice of luminaire for any taste. To increase safety, enhance architectural walls & stone work, we offer a variety of up-down lights to seamlessly integrate into any settings. Imaginative use of up- down lighting can redefine any space and adds to overall outlook of any structure.

LED Up Down Lamps



680015



680081




680082



680291



680293



680701

Code	Description	LED Make	Beam Angle	Light Output (lm)	MRP ₹	Pkg.
680015	4W Four Way LED Wall Lamp	4x1W Cree LED	71°	300 lm	3450.00	16
680081	3W One Way LED Lamp	1x3W Cree LED	81.1°	160 lm	2350.00	30
680082	2x3W LED Up-Down Wall Lamp	2x3W Cree LED	4.9° / 81.9°	421 lm	3100.00	24
680291	3W One Way LED Wall Lamp	1x3W Cree LED	71°	230 lm	3015.00	12
680293	2x3W LED Up-Down Wall Lamp	2x3W Cree LED	71°	314 lm	4600.00	12
680701	5W LED Up-Down Wall Lamp	1x5W Bridgelux	91.6°	159 lm	3500.00	12

Colour Temp.: WW-3000K | CRI : >80 | IP : 54

LED Up Down Lamps



680731



680732



680274



680273



680059

Code	Description	LED Make	Beam Angle	Light Output (lm)	CRI	MRP ₹	Pkg.
680731	12W One Way LED Wall Lamp	1x12W Cree LED	67°	650 lm	>80	4700.00	12
680732	2x12W LED Up-Down Wall Lamp	2x12W Cree LED	67°	1300 lm	>80	7200.00	08
680274	2x22W Up-Down Outdoor Lamp	-	-	-	-	1240.00	10
680273	1x22W Up-Down Outdoor Lamp	-	-	-	-	1065.00	10
680059	2x3W LED Up-Down Wall Lamp (Adjustable Beam Angle)	L. G. LED	100°	600 lm	>70	2850.00	20

Colour Temp.: WW-3000K | IP : 54

LED Up Down Lamps



680035




680036



680031



680037



680038



680032

Code	Description	LED Make	Beam Angle	Light Output (lm)	MRP ₹	Pkg.
680035	8W One Way COB LED Lamp	CREE LED	100°	800 lm	2850.00	8
680036	8W One Way COB LED Lamp	CREE LED	100°	800 lm	2850.00	8
680037	2x6W COB LED Up-Down Wall Lamp	CREE LED	100°	1200 lm	3995.00	8
680038	2x6W COB LED Up-Down Wall Lamp	CREE LED	100°	1200 lm	3995.00	8
680031	3W One Way LED Lamp	L. G. LED	100°	300 lm	1950.00	12
680032	2x3W LED Up Down Wall Lamp	L. G. LED	100°	600 lm	2295.00	20

Colour Temp.: WW-3000K | IP : 54 | CRI : >70



Bollard Lamps

Outdoor lighting plays a major role in beautifying any landscape. Whether you are looking to add attractive ambient lighting to your property, improve your home security by increasing visibility, or to mark walkways, driveways, and pathways we can offer you a variety of options to fit your needs and budget.

Bollard Lamps



680702, 680703



680892, 680893




680724, 680725



680822

Code	Description	LED Make	Beam Angle	Light Output (lm)	MRP ₹	Pkg.
680702	5W LED Bollard (H-300mm)	1x5W Bridgelux	69.1°	159 lm	4330.00	06
680703	5W LED Bollard (H-650mm)	1x5W Bridgelux	69.1°	159 lm	5075.00	04
680892	7W LED Bollard (H-250mm)	1x7W Bridgelux	26.8°	196 lm	3370.00	06
680893	7W LED Bollard (H-450mm)	1x7W Bridgelux	26.8°	196 lm	4050.00	04
680724	9W LED Bollard (H-250mm)	3x3W Cree LED	163.7°	205 lm	4150.00	12
680725	9W LED Bollard (H-650mm)	3x3W Cree LED	163.7°	120 lm	5075.00	04
680822	6W LED Bollard (H-500mm)	6x1W Cree LED	121.8°	170 lm	5000.00	04

Colour Temp.: WW-3000K | CRI : >80 | IP : 54



Bollard Lamps

Bollard Lamps



680818



680142



680156



680148

Code	Description	IP	MRP ₹	Pkg.
680818	1xB22 Bollard Outdoor Lamp (H-800mm)	54	3745.00	06
680142	1xB22 Bollard Outdoor Lamp (H-800mm)	54	1630.00	12
680156	1xB22 Bollard Outdoor Lamp (H-450mm)	54	1505.00	12
680148	1xE27 Bollard Outdoor Lamp (H-800mm)	54	3575.00	04



LED Pole Lamp

Combining a classic dark grey finish and posh styling, you will find no better way to highlight the charm of your garden or backyard. Pole lamp are used to illuminate the exterior premises of Residential & Commercial complex. This Pole lamp has three lanterns perched on arms that curl out with a flourish. A die cast aluminum construction serves to make this pole lamp robust. This ensures that it will not rust and resists corrosion. The opaque prismatic acrylic globe adds character to this elegant lantern.

LED Pole Lamp



◀ LED Pole Lamp

Code	Description	Beam Angle	LED Make	Colour Temp.	Light Output (lm)	Height	CRI	MRP ₹	Pkg.
680833	3X8W COB LED Pole Lamp	100°	Cree LED	WW-3000K	2400 lm	2400 mm	>70	15500.00	1

IP-54 | PF : 0.52



Swimming Pool Lights & Garden Spike Lamps

Add a new dimension of beauty to your swimming pool with beautiful warm glow effect. Swimming pool lights are designed with superior lens geometry and exclusive reflector design which combine to create a wider beam and more uniform light distribution.

Give an uplift to your landscape with our Garden Spike lamps and your garden will be a gorgeous and glowing after the sun goes down. Garden Spike Lamps are a great flexible lighting solution for flower beds & planted areas. Highlight plants and shrubs with these quick to install spike lamp. The head of this product tilts up and down allowing you to direct light where it is needed.

Swimming Pool Light & Garden Spike Lamps



681081



681284



681285



681702



681703



681728



681730



68B728

Code	Description	Beam Angle	LED Make	Colour Temp.	Light Output (lm)	IP	CRI	MRP ₹	Pkg.
681081	4W LED Swimming Pool Light	32.1°	4x1W Cree LED	WW-3000K	125 lm	68	>80	8000.00	12
681284	1xGU10 Garden Spike Outdoor Lamp	-	-	-	-	54	-	1065.00	10
681285	1xGU10 Garden Spike Outdoor Lamp	-	-	-	-	54	-	1420.00	10
681702	3W LED Ground Path Lamp	100°	Cree LED	WW-3000K	260 lm	65	>70	1495.00	40
681703	3W LED Garden Spike Lamp	100°	Cree LED	WW-3000K	260 lm	65	>70	1950.00	40
681728	6W LED Garden Spike Lamp	100°	L.G. LED	WW-3000K	600 lm	54	>70	2980.00	10
681730	4W LED Garden Spike Lamp	100°	L.G. LED	WW-3000K	400 lm	54	>70	1950.00	20
68B728	Base for Garden Lamp (Only Base)	-	-	-	-	-	-	135.00	20

Swimming Pool Lights & Garden Spike Lamps



LED Flood Lights

LED Flood Lights offer versatility while meeting your outdoor lighting requirements. Uniform light distribution of these fixtures ensures there are no dark areas. It comes with a metal bracket on the lamp body, allowing you to install the light flexibly, either ceiling-mounted, wall-mounted, or ground-mounted. They are often used to illuminate outdoor playing fields, stage lighting instrument in live performances such as concerts and plays. With IP65 rating, this floodlight can also be widely used in outdoor lighting projects such as billboards, sporting ground, gardens, patio, court, lawn, etc.

LED Flood Lights



LED Flood Lights

Code	Description	Beam Angle	Light Output (lm)	Dim. (mm)	MRP ₹	Pkg.
680010	10W Slim LED Flood Light	100°	CW-900 lm, WW-850 lm	W-133 x H-114 x D-36	600.00	40
680030	30W Slim LED Flood Light	100°	CW-2700 lm, WW-2500 lm	W-235 x H-188 x D-36	1990.00	10
680050	50W Slim LED Flood Light	100°	CW-4500 lm, WW-4200 lm	W-235 x H-188 x D-36	2850.00	10
680070	70W Slim LED Flood Light	100°	CW-6300 lm, WW-5900 lm	W-296 x H-228 x D-40	3850.00	04
680100	100W Slim LED Flood Light	100°	CW-9000 lm, WW-8500 lm	W-355 x H-290 x D-47	5550.00	04
680150	150W Slim LED Flood Light	100°	CW-13500 lm, WW-12700 lm	W-430 x H-323 x D-55	12000.00	04
680200	200W Slim LED Flood Light	100°	CW-18000 lm, WW-17000 lm	W-430 x H-323 x D-55	14750.00	04

LED Make : Epistar | Colour Temp.: CW-6500K, WW-3000K | CRI : >70 | PF : >0.9 | IP : 65

Coming Soon



Street Lights

Present day use of street lighting poles is not merely restricted to mundane fixtures for street illumination. The decorative embellishments are intended to play a dual role: as attractive and eye-catching street furniture by day; and to enhance the aesthetics of basic night illumination.

These fixtures are highly non-corrosive, long lasting and easy to install. Ideal for use in public lighting of roads, streets, bicycle tracks, parking spaces, sidewalks, footpaths and others.

A unique adjustable wall-mount fixture allows fixing the street lights easily without use of poles.

Street Lights



620007



682020, 682030, 682060



6820WB

Code	Description	Beam Angle	LED Make	Colour Temp.	IP	CRI	MRP ₹	Pkg.
620007	Bulk Head Fitting	-	-	-	-	-	180.00	40
▶ 682020	20W LED Street Light	120°	Osram	6000K	65	> 80	1500.00	30
▶ 682030	30W LED Street Light	120°	Osram	6000K	65	> 80	2050.00	30
▶ 682060	60W LED Street Light	120°	Osram	6000K	65	> 80	4050.00	10
▶ 6820WB	Wall Mount Bracket	-	-	-	-	-	650.00	20

PF : > 0.95 for LED Street Light

▶ **New Arrival**



Be Bright, Be Safe, Come Alive...
The Future of Lighting is Here.



For Further Information on Our Products : Customer Care No.: 1800-222-150
E-mail : help@vinayswitches.in www.vinayelectric.com
