

Corporate Office:
V. K. INDUSTRIES
#53, Mehta Industrial Estate,
Liberty Garden Cross Lane No. 3,
Malad (West), Mumbai - 400 064.

Corporate Enquiries:
+91 22 2844 5883/ +91 22 2844 0697
www.vinayelectricals.com
Customer Care:
1800-222-150 | info@vinayelectricals.com

Factory Address:
Survey No.: 227, Ajaran Falia,
Village Kachigam,
Daman - 396 210 (U.T.)

BRANCHES ACROSS INDIA:

Jaipur (Rajasthan):
B-525 (B), Road No. 6,
Vishwakarma Industrial Area,
Jaipur - 302 013.
T: +91 97025 33888

Ahmedabad (Gujarat):
11, Block No. 543, Tirupati Estate,
Aslali Bypass, N.H. Road No. 8, Aslali,
TA. Dascroi, Dist. Ahmedabad - 382 427.
T: +91 97240 14436

Pune (Maharashtra):
Plot No. 22, Chandra Vijay Society,
Opp. City International School,
Maharshi Nagar, Pune - 411 037.
T: +91 992220 01230

Raipur (Chattisgarh):
21/360, Ganjpara,
Raipur - 492 001, Chattisgarh.
T: +91 90092 09000/ 93006 87892

Indore (Madhya Pradesh):
Carry Fast Group, Survey No. 66/1, 67/4/2,
La Sudia Mori, Dewas Naka, Indore - 453 771.
T: +91 731 664 6000

Lucknow (Uttar Pradesh):
E-148, Transport Nagar,
Kanpur Road, Lucknow - 226 012.
T: +91 97025 33888

Kolkata (West Bengal):
11A, Radha Bazar Lane,
Room No. 203,
Kolkata - 700 001.
T: +91 97025 33888

Guwahati (Assam):
13, Lutuma Road, 4th APBN,
Guwahati - 781 018.
T: +91 97025 33888

Hyderabad (Andhra Pradesh):
Block No. 36, Plot No. 9,
Vanasthalipuram, Hayathnagar Mandal,
Rangareddy, Hyderabad - 500 070.
T: +91 93932 18003



SEEK YOUR SECURITY



With years of undeterred commitment to improve the quality of lifestyles, **Vinay Electricals** humbly marks its **50th year** in 2018. Writing a promising course of a future in a world without boundaries, we constantly aspire to leverage innovative technologies and new ideas. Endeavouring with relentless passion and commitment, Vinay Electricals is consistently excelling to deliver breakthrough products and services to make communities future ready.

Intertwined with stories of passion, pioneering and excellence, the impressive growth has been a result of innovative thoughts, futuristic approaches, dedicated workforce and loyal customers. Today, as we reach another milestone in our journey, you can be assured that we will continue to offer you products that match world standards, both in quality and design.



Terms & Conditions: This cancels all our Previous price list. • The price are inclusive of all Government Duties & Taxes as applicable. • Due to the continuous innovation and for better functioning, design of our products are liable to modification without notice. • In unforeseen circumstance the price list is liable to change without any notice. • Goods are despatched by us on purchaser's risk. All claims for loss, damage or shortage will be filed by the purchaser directly with the carriers. • Subject to Mumbai Jurisdiction only for disputes, if any.

VE/SS/SEEQUIRE BRO/16PG/JAN2019

SECURITY SYSTEMS CATALOGUE
JANUARY - 2019





We believe that everyone deserves access to the best and most advanced technology. Since our inception in 1968, Vinay Electrical Solutions has always been driven to create solutions that can help keep people safe and informed. Customer protection and safety is highly imperative to us. Decades later, this mission still drives us. It's why we continually develop innovative products utilizing the latest technology.

Innovation blended with excellent quality, Seequire is a comprehensive range of security solutions ideal for every residential and commercial space. Designed with form and function, it is equipped with a host of features to monitor activity on your property round the clock. Integrated with advanced technologies, Seequire's security solutions have been designed specifically to cater to your different security needs and with your safety in mind.

SEEQUIRE[®]

SEEK YOUR SECURITY

WHERE STYLE MEETS
FUNCTIONALITY!

From convenience of Hands-Free use to the practicality of two-way full Duplex Communication as if you are talking face to face; Seequire Safe Video Door Phones make sure that your device is enabled with next generation technology.

Featuring high definition colour monitor with Audio, Ring-tone Volume, Brightness and Colour Adjustment for fine tuning your requirements and Touch Panel Keypad for Door Lock Release, viewing picture and accepting calls ensuring simplicity to the core.


**WHY LEAVE IT
FOR ANOTHER DAY?**

Presenting 'SEEQUIRE'
Safe Video Door Phones (VDPs) designed
to meet the current and future needs of
Families & Homes.

**BLENDING ELEGANT DESIGN
WITH HIGH TECHNOLOGY**

**WELCOME TO
SEEQUIRE LIFE,
WELCOME AT HOME.**

4.3 INCH COLOR TFT SAFE VIDEO DOOR PHONE



Model : SQ-402 (IU) MRP. ₹ 5,300/- | SQ-705 (OU) MRP. ₹ 3,900/-

INDOOR UNIT FEATURES :

- High definition 4.3" TFT-LCD Monitor.
- 2 way hands free communication.
- Feather touch keypad.
- Door unlock function.
- 25 polyphonic ring-tones.
- Supports up to 3 slave monitors.
- Internal Intercom call between monitors.
- Video call transfer from one monitor to other monitors.

INDOOR UNIT TECHNICAL SPECIFICATIONS :

Power Consumption : 5W (Max). 0.3W (In standby)
Cut-Off Time : Default 30s, 10-60s optional
Operating Temperature : 0°C to + 40°C
External Dimension : W 180 * H 112 * D 17 mm

OUTDOOR UNIT FEATURES :

- 600 TV lines
- HD color CMOS camera
- LED night vision
- Secondary CCTV Camera can be supported
- Angular Surface Mount Brackets


OUTDOOR UNIT TECHNICAL SPECIFICATIONS :

Power Consumption : 2.5W
Coverage Angle : 50°
Operating Temperature : -30°C to +60°C
External Dimension : W 48 * H 160 * D 29 mm



RGB	4.3" COLOUR MONITOR	HANDS FREE COMMUNICATION	TOUCH BUTTONS	DOOR UNLOCK	POLYPHONIC RING - TONES
VIDEO CALL TRANSFER	LED NIGHT VISION	30° ANGULAR BRACKET MOUNT	HD COLOR CMOS CAM	600 TVL	PIN HOLE CAMERA

7 INCH COLOR TFT SAFE VIDEO DOOR PHONE



Model : SQ-705 (IU) MRP. ₹ 7,000/- | SQ-705 (OU) MRP. ₹ 3,900/-

INDOOR UNIT FEATURES :

- High definition 7" TFT-LCD monitor.
- 2 way hands free communication.
- Feather touch keypad.
- Door unlock function.
- Ring-tones selection of melodies.
- Supports up to 3 slave monitors.
- Internal Intercom call between monitors.
- Video call transfer from one monitor to other monitors.
- Supports 4 video channels - 2(OU)+2CCTV or 1(OU)+3CCTV

INDOOR UNIT TECHNICAL SPECIFICATIONS :

Power Consumption : 7W (Max). 0.7W (In standby)
Cut-Off Time : Default 10s, 10-60s optional
Operating Temperature : 0°C to + 40°C
External Dimension : W 210 * H 116 * D 57 mm
Resolution : 800 x 480 TVL

OUTDOOR UNIT FEATURES :

- 600 TV lines
- HD color CMOS camera
- LED night vision
- Secondary CCTV Camera can be supported
- Angular Surface Mount Brackets

OUTDOOR UNIT TECHNICAL SPECIFICATIONS :

Power Consumption : 2.5W
Coverage Angle : 50°
Operating Temperature : -30°C to +60°C
External Dimension : W 48 * H 160 * D 29 mmz



RGB	7" COLOUR MONITOR	HANDS FREE COMMUNICATION	TOUCH BUTTONS	DOOR UNLOCK	POLYPHONIC RING - TONES
VIDEO CALL TRANSFER	LED NIGHT VISION	30° ANGULAR BRACKET MOUNT	HD COLOR CMOS CAM	600 TVL	PIN HOLE CAMERA

7 INCH SNAP SHOT COLOR TFT SAFE VIDEO DOOR PHONE



Model : SQ-706 (IU) MRP. ₹ 8,600/- | SQ-705 (OU) MRP. ₹ 3,900/-

INDOOR UNIT FEATURES :

- l High definition 7" TFT-LCD monitor.
- l 2 way hands free communication.
- l Feather touch keypad.
- l Door unlock function.
- l Ring-tones selection of melodies.
- l Supports up to 3 slave monitors.
- l Calendar / Alarm Clock.
- l 64 Images internal memory.
- l Snap shot function.
- l Photo frame function.
- l Multimedia manager.
- l SD card storage : Memory supports upto 32GB.
- l Internal Intercom call between monitors.
- l Video call transfer from one monitor to other monitors.
- l Supports 4 video channels - 2(OU)+2CCTV or 1 (OU)+3CCTV

INDOOR UNIT TECHNICAL SPECIFICATIONS :

Power Consumption : 9W (Max). 2W (In standby)
Cut-Off Time : Default 30 s. 10-16s. optional
Operating Temperature : 0°C to + 40°C
External Dimension : W 210 * H 116 * D 25 mm
Resolution : 800 x 480 TVL

OUTDOOR UNIT FEATURES :

- l 600 TV lines
- l HD color CMOS camera
- l LED night vision
- l Secondary CCTV Camera can be supported
- l Angular Surface Mount Brackets

OUTDOOR UNIT TECHNICAL SPECIFICATIONS :

Power Consumption : 2.5W
Coverage Angle : 50°
Operating Temperature : -30°C to +60°C
External Dimension : W 48 * H 160 * D 29 mm



RGB	7" COLOUR MONITOR	HANDS FREE COMMUNICATION	TOUCH BUTTONS	DOOR UNLOCK	POLYPHONIC RING - TONES
VIDEO CALL TRANSFER	LED NIGHT VISION	30° ANGULAR BRACKET MOUNT	HD COLOR CMOS CAM	600 TVL	PIN HOLE CAMERA

7 INCH COLOR TFT SAFE VIDEO DOOR PHONE WITH AUTO VIDEO RECORDING



Model : SQ-704 MRP. ₹ 15,000/-

INDOOR UNIT FEATURES :

- l Motion Sensor Based Auto Video Recording.
- l High Grade 7" TFT-LCD Monitor.
- l Door unlock function.
- l 2-way hands free communication.
- l Supports SD Card.
- l Calendar / Clock.
- l Selection of Melodies.
- l Auto Overwrite function.

OUTDOOR UNIT FEATURES :

- l High Clarity CCD Camera.
- l Infrared LEDs for Superior Night Vision.
- l Vandal Resistant Body.
- l 600 TV Lines.



RGB	7" COLOUR MONITOR	HANDS FREE COMMUNICATION	DOOR UNLOCK	POLYPHONIC RING - TONES
LED NIGHT VISION	30° ANGULAR BRACKET MOUNT	HD COLOR CCD CAM	600 TVL	PIN HOLE CAMERA

SEEQUIRE[®]

SEEK YOUR SECURITY

MULTI APARTMENT VIDEO DOOR PHONES



• Input "9 000 8" to call center unit.
• Input "8 + Room Number + 8" to
call the user.
• Input "*" to display wrong inputs.
• Input "*" + "password" to check.
• Input "*" + "4-digit password" to
enter user system setting.

7 INCH MULTI APARTMENT VIDEO DOOR PHONE WITH RECORDING



Model : SQ-i700 (IU) MRP. ₹ 7,800/- | SQ-705 (OU) MRP. ₹ 3,900/-

INDOOR UNIT FEATURES :

- High definition 7" TFT-LCD color monitor.
- Sleek Design with Touch pad.
- Supports Intercom system.
- Door Release function.
- Snap Shot function.
- Internal Memory of 50 Images with Auto Overwrite function.
- Selection of 16 Melodies.
- 2 way hands free communication.

INDOOR UNIT TECHNICAL SPECIFICATIONS :

Input Voltage : DC 15V Powered by system
 Working Temperature : -10°C ~ + 55°C
 Power Consumption : Stand by <2W, Working <7W
 Dimension : W 190 * H 200 * D 18 mm

4 CHANNEL VIDEO DISTRIBUTOR

Model : SQ-VDi700 MRP. ₹ 3,900/-

TECHNICAL SPECIFICATIONS :

Input Voltage : DC 15V
 Power Consumption : 3W
 Connection : Five-core cable connects with Indoor Unit BNC connects with Video Distributor or Lobby Panel
 Range : Video Distributor to Indoor Unit - 30 Mtrs
 Working Temperature : -10°C ~ + 40°C
 Dimension : W 161 * H 210 * D 52 mm



MULTI APARTMENT LOBBY PANEL WITH POWER SUPPLY



Model : SQ-LBi700 MRP. ₹ 26,000/-

FEATURES :

- Color CCD Camera.
- Camera angle can be adjusted.
- Power source for electric lock.
- LCD Display.
- Intercom system compatible.
- Vandal Resistant Body.

TECHNICAL SPECIFICATIONS :

Input Voltage : DC 15V
 Ambient Temperature : -35°C ~ + 60°C
 Dimension : W 248 * H 217 * D 50 mm

Bhairav Residency - Leena
Builders Mira Road, Mumbai.



Nysa Courtyard -
Challenge Infrastructure Vadodara.



Platinum Avior - Platinum Group Roadpali,
Navi Mumbai.



Bhoomi Gardenia - GDC Buildcon
Kalamboli, Navi Mumbai.



Inora Park, Undri - Tata Housing Handewadi, Pune.



Crystal Heights Palanpur, Surat.



Rite Galaxy - Rite Developers Andheri, Mumbai.



Crystal Park - K.K.Construction Palghar.

